

**LISTING OF CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Previously amended) An apparatus for dispensing seam tape to an edge of membrane roofing comprising:

a frame;

a first roller mounted at a front lower portion of said frame adapted to press seam tape against an edge of membrane roofing;

a second roller mounted in a rear lower portion of said frame adapted to press seam tape against an edge of membrane roofing;

a roll of seam tape supported on said frame above said first and second rollers;

a tensioning plate pressing against said roll inhibiting the rotation of said roll.

2. (Previously amended) The apparatus claimed in claim 1 further comprising a guide bar slidably mounted to said frame extending forwardly from said frame and said first roller.

3. (Original) The apparatus for dispensing seam tape claimed in claim 1 wherein said tensioning plate comprises a plate pivotally mounted to a rear portion of said frame and spring biased against said roll.

4. (Previously presented) An apparatus for dispensing seam tape to an edge of membrane roofing comprising:

a frame;

a first roller mounted at a front lower portion of said frame adapted to press seam tape against an edge of membrane roofing;

a second roller mounted in a rear lower portion of said frame adapted to press seam tape against an edge of membrane roofing;

a roll of seam tape supported on said frame above said first and second rollers;

a tensioning plate pressing against said roll inhibiting the rotation of said roll, said seam tape extended from said roll around and under said first roller and further extended under said second roller.

5. (New)     An apparatus for dispensing seam tape to an edge of a membrane roofing comprising:

a frame;

a first roller mounted at a front lower portion frame adapted to press seam tape against an edge of membrane roofing;

a second roller mounted in a rear lower portion of said frame adapted to press seam tape against an edge of roofing membrane;

a roll of seam tape supported on said frame above said first and second rollers;

a tensioning mechanism pressing against said roll inhibiting rotation of said roll; and

a guide bar slidably mounted to said frame extending forward from said frame and said first roller.

6. (New)     The apparatus claimed in claim 5 wherein said tensioning mechanism is a tensioning plate spring biased against said roll.